### PATENT COOPERATION TREATY

INTERNATIONAL SEARCHING AUTH	IORITY	-			
То:		PCT			
MICHAEL J. MALLIE BLAKELY, SOKOLOFF, TAYLOR &	7 A F M A N I I P	·	101		
12400 WILSHIRE BOULEVARD, 7TH		111	RITTEN OPINION OF THE		
LOS ANGELES, CA 90025			IONAL SEARCHING AUTHORITY		
		1111214111			
		(PCT Rule 43bis.1)			
		Date of mailing (day/month/year) 31 MAR 2008			
Applicant's or agent's file reference		FOR FURTHER ACTION			
16820.P306PCT	•	See paragraph 2 below			
International application No.	International filing date	(day/month/year)	Priority date (day/month/year)		
PCT/US05/28791	12 August 2005 (12.08.2		04 August 2013 (04.08.2013)		
International Patent Classification (IPC)	or both national classificati	on and IPC			
IPC: G06F 17/50( 2006.01),9/455( 2 USPC: 716/1,11;717/107	1006.01),9/44( 2006.01)				
Applicant					
CYPRESS SEMICONDUCTOR CORPC	RATION				
1. This opinion contains indications rela	nting to the following items				
1. This opinion contains indications reis	ting to the following items	<b>.</b>			
Box No. I Basis of the	No. I Basis of the opinion				
Box No. II Priority					
Box No. III Non-establis	shment of opinion with reg	ard to novelty, inve	ntive step and industrial applicability		
Box No. IV Lack of unit	y of invention				
	Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement				
Box No. VI Certain docu	Certain documents cited				
Box No. VII Certain defe	Certain defects in the international application				
Box No. VIII Certain obse	rvations on the internations	al application			
2. FURTHER ACTION					
If a demand for international prelimi International Preliminary Examining	Authority ("IPEA") exc ne IPEA and the chosen IF	ept that this does PEA has notified th	be considered to be a written opinion of the not apply where the applicant chooses an le International Bureau under Rule 66.1 bis(b) ered.		
If this opinion is, as provided above, IPEA a written reply together, where of Form PCT/ISA/220 or before the ex For further options, see Form PCT/ISA	appropriate, with amendm piration of 22 months from	ents, before the ex	PEA, the applicant is invited to submit to the piration of 3 months from the date of mailing whichever expires later.		
3. For further details, see notes to Form F	°CT/ISA/220.		_		
Name and mailing address of the ISA/ US Date of completic		on of this opinion	Authorized officer Will N 110 On		
Mail Stop PCT, Attn: ISA/US Commissioner for Patents 21 November 200		07 (21.11.2007)	/Vuthe Siek/ Pritoary Examiner for Jack Chiang		

Telephone No. (571) 272-1950

P.O. Box 1450
Alexandria, Virginia 22313-1450
Facsimile No. (571) 273-3201
Form PCT/ISA/237 (cover sheet) (April 2005)

From the

International	applicat	tion	No.

PCT/US05/28791

Box No. I Basis of this opinion
1. With regard to the language, this opinion has been established on the basis of:
the international application in the language in which it was filed
a translation of the international application into, which is the language of a translation furnished for the purposes of international search (Rules 12.3(a) and 23.1(b)).
2. With regard to any nucleotide and/or amino acid sequence disclosed in the international application and necessary to the claimed invention, this opinion has been established on the basis of:
a. type of material
a sequence listing
table(s) related to the sequence listing
b. format of material
on paper
in electronic form
c. time of filing/furnishing
contained in the international application as filed.
filed together with the international application in electronic form.
furnished subsequently to this Authority for the purposes of search.
In addition, in the case that more than one version or copy of a sequence listing and/or table(s) relating thereto has been filed or furnished, the required statements that the information in the subsequent or additional copies is identical to that in the application as filed or does not go beyond the application as filed, as appropriate, were furnished.
4. Additional comments:
•

Form PCT/ISA/237 (Box No. V) (April 2005)

International application No. PCT/US05/28791

Box No. V Reasoned statement under Rule 43 bis.1(a)(i) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement							
1. Statement							
Novelty (N)		3, 4, 7, 9-11, 13, 17, 18		YES			
	Claims	1, 2, 5, 6, 8, 12, 14-16, 19, 20		NO			
Inventive step (IS)	Claims	NONE		YES			
·	Claims	1-20		NO			
Industrial applicability (IA)	Claims	1-20		YES			
	Claims	NONE	· · · · · · · · · · · · · · · · · · ·	NO			
2. Citations and explanations:	<del></del>						
Please See Continuation Sheet							
•							
				ļ			
				ļ			

International application No.

PCT/US05/28791

#### Box No. VII Certain defects in the international application

The following defects in the form or contents of the international application have been noted:

- 1. Claims 1-8, 12-20 are objected to under PCT Rule 66.2(a)(iii) as containing the following defect(s) in the form or contents thereof:
- 2. Regarding claims 1 and 15, the claims recite, "allowing a user to define a transfer function", and subsequently "submitting the transfer function". The claim requires only that the user be allowed to define the transfer function. In the instance where the user does not define a transfer function, the limitation of "submitting" said transfer function is nonsensical. However, as currently written, the claim would require the submission of the transfer function regardless of whether the user has previously defined the function. Therefore, submitting the transfer function should be stated as a conditional procedure dependant on whether the user has exercised the provided ability. See, for example, the language of claim 5.
- 3. Regarding claim 12, the claim includes a similar error to that described in regard to claims 1 and 15 above, although the exact wording of the claim is slightly different. Regarding claims 2-8, 13, 14, 16-20, the claims include the above errors in claims 1, 12, and 15 through claim dependency.

International application No. PCT/US05/28791

In case the space in any of the preceding boxes is not sufficient.

#### V. 2. Citations and Explanations:

- 1. Claims 1, 2, 5, 6, 8, 12, 14-16, 19, and 20 lack novelty under PCT Article 33(2) as being anticipated by NOUTA.
- 2. Regarding claim 1, Nouta discloses:
- 3. allowing a user to define a transfer function via a graphical user interface (pg.128, section III; pg.130, section VI. Specifically, the transfer function is implemented using a Wave Digital Filter, which is defined in MATLAB using the lwdf2XDK command. MATLAB includes a graphical user interface);
- 4. submitting the transfer function to a processing device maker associated with a processing device to cause the processing device maker to generate processing device code without intervention by the user (pg.130, section VI; especially, "automatic generation of complete VHDL descriptions is feasible"; also "[f]rom these filter design parameters we calculate the Lattice coefficients and then builds the VHDL description file"), wherein the processing device code causes the processing device to perform the transfer function (pg.128, section III; pg.130, section VI. The VHDL description is used to configure the FPGA in order to implement the transfer function set forth in section III).
- 5. Regarding claim 2, Nouta discloses:
- 6. providing user interface control on the GUI to allow the user to select a transfer function type and at least one input to the transfer function and to assign an output of the transfer function to each of a plurality of input combinations (pg.128, section III; pg.130, section VI; see also Fig.2. The transfer functions H(z) and H(s) specify type, inputs, and output. The lwdf2XDK command defines parameters to realize the transfer function.);
- 7. defining the transfer function in a predetermined pattern based on the transfer function type, the input, and the output (pg.129, section V; pg.130, section VI. The Wave Digital Lattice is a predetermined pattern (thus enabling "automatic generation of complete VHDL descriptions"), with parameters based on the particular transfer function being implemented).
- Regarding claim 5, Nouta discloses:

International application No. PCT/US05/28791

### WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

Supplemental Box

In case the space in any of the preceding boxes is not sufficient.

- allowing the user to modify the transfer function via the GUI (pg.130, section VI);
- in response to modification of the transfer function by the user, automatically and regenerating the processing device code using the processing device maker (pg.130, section VI. Modification by the user is done by entering the lwdf2XDK command using different parameters; the command results in compilation of the VHDL description.).
- Regarding claim 6, Nouta discloses validating and simulating the transfer function (pg.128, section III; see also Fig.2, "[p]lot of [transfer function] to check whether the design specifications are met.". The examiner understands "validation" to be determining whether the transfer function is even a valid function, whereas simulation implements the proposed function in order to check its adherence to expected performance. As such, Fig.2 constitutes both validation and simulation, because the plot is made to check whether design specifications are met, and the plot could not be made without a valid transfer function. Thus, attempting to make such a plot involves both validation (checking whether a plot is even possible), and simulation (checking plot with design specification).) without running the processing device (pg.128, section III, Fig.2. The plot is made prior to implementation of the transfer function on FPGA).
- Furthermore, simulation of FPGA designs at the VHDL level is well-known in the art and is included in the Virtex-II Pro development package (Nouta discloses use of e.g., the ISE 5.2i development kit on pg.130, section VI). Also, MATLAB is well-known to be able to compute properties of mathematical functions, including transfer functions. Such a computation would constitute simulation of the transfer function without running the processing device, as such a computation would be done by the host processor in the computer, rather than the FPGA the function is ultimately implemented on.
- Regarding claim 8, Nouta discloses the transfer function comprising a setpoint transfer function (pg.129, section V. A Wave Digital Filter representation digitizes the continuous transfer function. This is consistent with applicant's description of a "setpoint transfer function" as set forth in par. [0025] of the specification).
- Regarding claim 12, Nouta discloses:
- a graphical user interface to allow a user to define a transfer function via the GUI (pg.128, section III; pg.130, section VI. Specifically, MATLAB has a GUI that allows the user to define a transfer function); and
- a processing device maker logically coupled to the GUI to generate processing device code based on the transfer function without intervention by the user, wherein the processing device code causes a processing device to perform the transfer function when executed by the processing device (pg.128, section III; pg.130, section VI. The VHDL tool is invoked through a MATLAB command, and thus is 'logically coupled' to the MATLAB GUI. See also reasoning regarding claim 1 for further clarification.).
- Regarding claim 14, the limitations are substantially similar to the limitations recited in claim 5, which was found above to be unpatentable over the prior art of record. Accordingly, the same reasoning applies and is not reproduced here.
- Regarding claim 15, the claim is directed to a machine-readable medium providing instructions to perform the method of claim 1, wherein the body of the claim is identical to claim 1. Claim 1 was found above to be unpatentable over the prior art of record; accordingly, the same reasoning applies and is not reproduced here. In regard to the additional limitation of the machine-readable medium, although Nouta does not appear to explicitly disclose such a medium, Nouta discloses computer programs (e.g., MATLAB) used to perform the disclosed method. Such programs must necessarily be stored on some form of machine-readable medium, and therefore such a medium is inherently included in the disclosure of Nouta.
- Regarding claims 16 and 19, the claims are directed to a machine-readable medium providing instructions to perform the methods of claims 2 and 5, respectively, wherein the body of each of claims 16 and 19 is identical to claims 2 and 5, respectively. The additional limitation of the machine-readable medium is addressed above in regard to claim 15. Claims 2, 5, and 15 were found above to be unpatentable over the prior art of record; accordingly, the same reasoning applies and is not reproduced here.
- Regarding claim 20, the claim is directed to a machine-readable medium providing instructions to perform the method of claim 6, wherein the body of the claim is identical to claim 6. The additional limitation of the machine-readable medium is addressed above in regard to claim 15. Claims 6 and 15 were found above to be unpatentable over the prior art of record; accordingly, the same reasoning applies and is not reproduced here. Claims 3-4, 13, 17, and 18 lack an inventive step under PCT Article 33(3) as being
- obvious over NOUTA in view of ALLISON.

International application No. PCT/US05/28791

## WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

Supplemental Box

In case the space in any of the preceding boxes is not sufficient.

- 22. Regarding claim 3, Nouta does not appear to explicitly disclose a ROM image. However, Nouta discloses configuring an FPGA (pg.130, section VI; especially, "the resulting bitfile is downloaded into the FPGA".). It is well-known in the art that configuration of FPGAs uses ROM images, as exemplified by Allison (par.[0022], [0023]; especially, "A ROM image may be viewed as a binary file" (i.e., bitfile), and "[d]ata images each may be ... Field Programmable Gate Array (FPGA) configuration code"). Accordingly, the use of a ROM image requires that the ROM image first be generated; the bitfile disclosed by Nouta is generated using the VHDL description, which is inputted through synthesis and routing tools (p.130, section VI; see also Fig.6).
- 23. It would be obvious to persons having ordinary skill in the art at the time the invention was made to combine the teachings of Nouta with the teachings of Allison to arrive at the claimed invention, because doing so would involve merely a combination of known components according to known methods to produce an expected result (a ROM image for configuration of FPGAs).
- 24. Regarding claim 4, Nouta in view of Allison disclose or render obvious the limitations addressed above in regard to claims 1 and 3. The further limitation of loading the ROM image into the processing device is rendered obvious by the reasoning presented in regard to claim 3. Specifically, if the FPGA configuration file is stored as a ROM image, configuration of the FPGA as disclosed by Nouta requires that the ROM image be loaded, either directly or indirectly, onto the FPGA. Accordingly, the motivation to combine Nouta and Allison remains consistent with that given in regard to claim 3, and is not reproduced here.
- 25. Regarding claim 13, the limitations are substantially similar to the limitations recited in claims 3 and 4, which were found above to be unpatentable over the prior art of record. Accordingly, the same reasoning applies and is not reproduced here. Specifically, the reasoning regarding claim 3 addresses the generation of the ROM image, and claim 4 addresses the loading of the ROM image into the processing device.
- 26. Regarding claims 17 and 18, the claims are directed to a machine-readable medium providing instructions to perform the methods of claims 3 and 4, respectively, wherein the body of each of claims 17 and 18 is identical to claims 3 and 4, respectively. The additional limitation of the machine-readable medium is addressed above in regard to claim 15. Claims 3, 4, and 15 were found above to be unpatentable over the prior art of record; accordingly, the same reasoning applies and is not reproduced here.
- 27. Claim 7 lacks an inventive step under PCT Article 33(3) as being obvious over NOUTA in view of SAYLOR.
- Nouta does not appear to explicitly disclose a "truth table transfer function". However, such transfer functions are notoriously well known in the art, as exemplified by Saylor (col.2, lines 33-43). The "lookup table" is in accordance with Applicant's description of "truth table" given in par. [0025] of the specification.
- 29. It would be obvious to persons having ordinary skill in the art at the time the invention was made to combine the teachings of Nouta and Saylor, because doing so would involve merely substitution of one known, equivalent element for another (lookup table transfer function for setpoint transfer function) in order to obtain predictable results (implementation of the lookup table transfer function).
- 30. Claims 9-11 lack an inventive step under PCT Article 33(3) as being obvious over NOUTA.
- 31. Regarding claim 9, Nouta discloses:
- allowing a user to program a processing device to cause the processing device to perform a transfer function without the user writing processing device code (pg.128, section III; pg.130, section VI. See also reasoning regarding claim 1 for further clarification.); and
- 33. allowing the user to modify the transfer function without the user editing the processing device code (pg.130, section VI. See also reasoning regarding claim 5 for further clarification.).
- 34. In addressing the limitation of "means for", Examiner interprets Applicant's disclosed means as being the generic computer system as shown in Applicant's Fig.4. Although Nouta does not appear to explicitly disclose a computer system, the method disclosed by Nouta utilizes computer programs such as MATLAB and ISE 5.2i and thus the "means" claimed by applicant are at least implied by, if not inherent in, the disclosure of Nouta.
- 35. Regarding claim 10, Nouta discloses receiving inputs from the user (pg.130, section VI); and defining the transfer function based on the inputs (pg.128, section III; pg.130, section VI. See also reasoning regarding claim 2 for further clarification.). The limitation of "means for" is addressed above in regard to claim 9.

International application No. PCT/US05/28791

Supplemental Box	
In case the space in any of the preceding boxes is not sufficie	nt.

36. Regarding claim 11, Nouta discloses automatically generating the processing device code based on the transfer function (pg.128, section III; pg.130, section VI. See also reasoning regarding claim 1 for further clarification.). The limitation of "means for" is addressed above in regard to claim 9. Claims 1-20 meet the criteria set out in PCT Article 33(4), and thus have industrial applicability because the subject matter claimed can be made or used in industry.